

Safety Data Sheet

Issue date: 02/15/2016 Revision date: 03/28/2022

Supersedes: 08/08/2016

Version: 1.0

SECTION 1: Identification 1.1. Identification	
	Mirdan.
Product form	: Mixture
Name	: Perm-X UL 4-4
Synonyms	: 100208989, 100208938, 100208943, 100208939, EPA Reg. No.: 89459-47
1.2. Recommended use and restric	tions on use
Recommended use	: Insecticide.
Restrictions on use	: Avoid contact with eyes, skin and clothing. Avoid inhalation of vapors or fumes. Do NOT take internally. Keep out of reach of children and domestic animals. Do not use or store near hea open flame.
1.3. Supplier	
Central Garden & Pet	
1501 E. Woodfield Road, Suite 200W	
Schaumburg, IL 60173 - United States	
www.centralmosquitocontrol.com	
1.4. Emergency telephone number	
Emergency number	: 1-800-248-7763 1-800-424-9300 - CHEMTREC 4 703 7027 2007 - CHEMTREC
	1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted
SECTION 2: Hazard(s) identifica	tion
2.1. Classification of the substance	e or mixture
GHS US classification	
Acute toxicity (oral) Category 4	Harmful if swallowed
Skin sensitization, Category 1 Specific target organ toxicity (single exposu	Harmful if swallowed May cause an allergic skin reaction ure) Category 1 Causes damage to organs. May be fatal if swallowed and enters airways
Skin sensitization, Category 1 Specific target organ toxicity (single exposu Aspiration hazard Category 1	ure) Category 1 May cause an allergic skin reaction Causes damage to organs. May be fatal if swallowed and enters airways
Skin sensitization, Category 1 Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including	ure) Category 1 May cause an allergic skin reaction Causes damage to organs. May be fatal if swallowed and enters airways
Acute toxicity (oral) Category 4 Skin sensitization, Category 1 Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US)	ure) Category 1 May cause an allergic skin reaction Causes damage to organs. May be fatal if swallowed and enters airways
Skin sensitization, Category 1 Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling	Aure) Category 1 May cause an allergic skin reaction Causes damage to organs. May be fatal if swallowed and enters airways precautionary statements : : : : : : : : : : : : :
Skin sensitization, Category 1 Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US)	Aure) Category 1 May cause an allergic skin reaction Causes damage to organs. May be fatal if swallowed and enters airways precautionary statements : : : : : : : : : : : : :
Skin sensitization, Category 1 Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US)	Aure) Category 1 May cause an allergic skin reaction Causes damage to organs. May be fatal if swallowed and enters airways precautionary statements : : : : : : : : : : : : :
Skin sensitization, Category 1 Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling	ure) Category 1 May cause an allergic skin reaction Causes damage to organs. May be fatal if swallowed and enters airways precautionary statements
Skin sensitization, Category 1 Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US)	Image: Way cause an allergic skin reaction Causes damage to organs. May be fatal if swallowed and enters airways Image: Precautionary statement Image: Precautionary statement

Safety Data Sheet

.3.	Other hazards which do not result	in classification		
Other hazards which do not result in classification : This product is extremely toxic to aquatic organisms, including fish and invertebrate product is highly toxic to bees exposed to direct treatment on blooming crops or we United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard) product is considered hazardous.		ps or weeds. Unde		
2.4.	Unknown acute toxicity (GHS US)			
Not app	olicable			
		and an inclusion of the second		
SECT	ION 3: Composition/informati	on on ingredients		
	ION 3: Composition/Informati Substances	on on ingredients		
3.1.	Substances	on on Ingredients		
<mark>3.1.</mark> Not app		on on ingredients		
<mark>3.1.</mark> Not app	Substances blicable Mixtures	on on Ingredients	Product identifier	%
3.1. Not app 3.2.	Substances blicable Mixtures	on on Ingredients	Product identifier (CAS-No.) 52645-53-1	<mark>%</mark> 4
3.1. Not app 3.2. Name Perme	Substances blicable Mixtures	on on Ingredients		
3.1. Not app 3.2. Name Perme Pipero	Substances blicable Mixtures bthrin myl butoxide	affinic, hydrotreated (mild) light paraffinic, white mineral oil	(CAS-No.) 52645-53-1	4

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.
First-aid measures after ingestion	: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Call a physician immediately. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.
4.2. Most important symptoms and effect	s (acute and delayed)
Symptoms/effects after inhalation	: Harmful if inhaled. Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea, salivation, tremors, convulsions, hyperactivity and hypersensitivity.
Symptoms/effects after skin contact	: May cause an allergic reaction in individuals with a sensitivity to piperonyl butoxide.
Symptoms/effects after ingestion	: Harmful if swallowed. Permethrin effects the nervous system. Aspiration Hazard - may be fatal if swallowed and enters airways.

4.3. Immediate medical attention and special treatment, if necessary

Contains petroleum distillate vomiting may cause aspiration pneumonia. Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguis	Suitable (and unsuitable) extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
Unsuitable extinguishing media	: Avoid heavy hose streams.	
5.2. Specific hazards arising from the c	hemical	
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.	
5.3. Special protective equipment and p	precautions for fire-fighters	
Firefighting instructions	Do not allow fire fighting water to escape into waterways or sewers. Evacuate area. Move containers away from the fire area if this can be done without risk. Ventilate closed spaces before entering. Do not breathe gas/fumes/vapor/spray.	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

Safety Data Sheet

SECTION 6: Accidental release mea	
6.1. Personal precautions, protective ed	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.
Emergency procedures	: Do NOT wash away into sewer. Avoid release to the environment. Evacuate unnecessary personnel. Stop leak if safe to do so. Ventilate area. Wear appropriate personal protective equipment, avoid direct contact.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containm	ent and cleaning up
Methods for cleaning up	 Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal. Do not flush to sewer or allow to enter waterways. Wear appropriate personal protective equipment, avoid direct contact.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Avoid breathing vapor or spray mist. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not handle until all safety precautions have been read and understood. Keep away from sources of ignition - No smoking.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions	 Store locked up. Store in a well-ventilated place. Keep cool. Avoid excess heat. Keep container tightly closed. Keep only in original container. Avoid extreme temperatures. Do not store near heat or open flame.
Incompatible materials	: Strong acids. Strong bases. Strong oxidizers.
SECTION 8: Exposure controls/pers	sonal protection

8.1. Control parameters

Petroleum distillates 8, 8042-47-5)	s, hydrotreated (mild) heavy paraffinic, hy	drotreated (mild) light paraffinic, white mineral oil (64742-54-7, 64742-55-
ACGIH	ACGIH OEL TWA	5 mg/m³
ACGIH	ACGIH OEL STEL	10 mg/m ³

8.2.	Appropriate engineering controls	
Appropria	ate engineering controls	: Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.
Environm	ental exposure controls	: Avoid release to the environment.
8.3.	Individual protection measures/Perso	nal protective equipment

Personal protective equipment:

See product label for specific PPE instructions.

Hand protection:

Wear chemical resistant gloves: Barrier laminate, Laminate, Butyl Rubber, Nitrile Rubber, Neoprene Rubber, Polyvinyl Chloride or Viton

Eye protection:

Safety glasses

Safety Data Sheet

Skin and body protection:

Wear long-sleeved shirt, long pants, socks and shoes

Respiratory protection:

In case of insufficient ventilation, use NIOSH approved respiratory protection. Mixers and loaders supporting aerial applications to forests must wear at least a NIOSH-approved respirator with: A dust/mist filter with MSHA/NIOSH approval number prefix TC-21C, or any R, P, or HE filter.



SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	
Physical state	: Liquid
Appearance	: Clear amber liquid
Color	: Amber
Odor	: Slight solvent and licorice
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 127 °C (260 °F)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.9807 g/ml (8.2 lb/gal)
Solubility	: Insoluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 18.5 cP @ 40 °C (104 °F)
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable
9.2. Other information	
No additional information available	

SECTION 10: Stability	v and reactivitv
------------------------------	------------------

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerization will not occur.

10.4. Conditions to avoid

Avoid extreme temperatures. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Safety Data Sheet

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Decomposes upon heating to produce toxic gases which may include: oxides of carbon, oxides of nitrogen and/or volatile hydrocarbon vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Permethrin (52645-53-1)	
LD50 oral rat	500 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	2.65 mg/l/4h
Piperonyl butoxide (51-03-6)	
LD50 oral rat	4300 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h

GHS-US Properties	Classification
Acute toxicity (oral)	Harmful if swallowed.
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Causes damage to organs.
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	May be fatal if swallowed and enters airways.

Potential health effects

Inhalation	
Acute	: Harmful if inhaled. Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea, salivation, tremors, convulsions, hyperactivity and hypersensitivity.
Skin	
Acute	: May cause an allergic skin reaction in individuals with a sensitivity to piperonyl butoxide.
Eye	
Acute	: Under normal conditions of use, no health effects are expected.
Ingestion	
Acute	: Aspiration hazard - small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema. Harmful if ingested. Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea, salivation, tremors, convulsions, hyperactivity and hypersensitivity.
Mutagenicity	: Permethrin was not mutagenic in a battery of in vitro and in vivo tests. Piperonyl butoxide was not mutagenic in a battery of tests.
Carcinogenicity	: Permethrin is not classified as carcinogen by NTP, IARC and OSHA. Piperonyl butoxide is not classified as carcinogen by NTP, IARC and OSHA.
Reproductive Effects	: Permethrin does not cause birth defects or adverse effects on reproduction. Piperonyl butoxide did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits.

SECT	SECTION 12: Ecological information		
12.1.	Toxicity		
Perm	ethrin (52645-53-1)		

	Permeum (52645-55-1)	
	LC50 Acute fish 1	0.00079 mg/l (Exposure time: 96h - Blue gill)
	LC50 Acute fish 2	0.0022 mg/l (Exposure time: 96h - Atlantic silverside)
_		

Safety Data Sheet

Permethrin (52645-53-1)	
LC50 Acute crustacea 1	0.000019 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.0001 mg/l (Hexagenia bilineuta)
EC50 - Crustacea [1]	0.00043 mg/l (48 h, Daphnia magna, Literature study)
NOEC Chronic fish 1	0.0003 mg/l (Fathead minnow)
NOEC Chronic fish 2	0.00083 mg/l (Sheepshead minnow)
NOEC Chronic crustacea 1	0.000039 mg/l (Daphnia magna)
NOEC Chronic crustacea 2	0.000011 mg/l (Mysid shrimp)
Piperonyl butoxide (51-03-6)	
LC50 Acute fish 1	1.9 mg/l (Rainbow trout)
LC50 Acute fish 2	3.94 mg/l (Sheepshead minnow)
LC50 Acute crustacea 1	0.49 mg/l (Mysid shrimp)
LC50 Acute crustacea 2	0.51 mg/l (Gammarus fasciatus (amphipod))
NOEC Chronic fish 1	0.04 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.03 mg/l (Daphnia magna)
2.2. Persistence and degradability	
Permethrin (52645-53-1)	
Persistence and degradability	Permethrin: not rapidly biodegradable.
I2.3. Bioaccumulative potential	
Permethrin (52645-53-1)	
Bioaccumulative potential	Permethrin: Bioconcentration factor (BCF) 300; Does not bioaccumulate.
12.4. Mobility in soil	
Permethrin (52645-53-1)	
Mobility in soil	Permethrin: Immobile in soil
12.5. Other adverse effects	
Perm-X UL 4-4	
Ecological Fate	This product is extremely toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds.

SECTI	ON 13: Disposal consideration	S
13.1.	Disposal methods	
Product/	Packaging disposal recommendations	: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
SECTI	ON 14: Transport information	

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable
IMDG	UN3082	Packaging greater than 5 L: Environmentally hazardous substance, liquid, n.o.s (Permethrin and Piperonyl butoxide)	9	111	Marine pollutant
ΙΑΤΑ	UN3082	Packaging greater than 5 L: Environmentally hazardous substance, liquid, n.o.s (Permethrin and Piperonyl butoxide)	9	111	Acute aquatic toxicity

SECTION 15: Regulatory information

15.1. US Federal regulations

Safety Data Sheet

Permethrin (52645-53-1)	
Not listed on the United States TSCA (Toxic Sub	
Subject to reporting requirements of United State	
SARA Section 313 - Emission Reporting	1 %
Piperonyl butoxide (51-03-6)	
Listed on the United States TSCA (Toxic Substat Subject to reporting requirements of United State	
SARA Section 313 - Emission Reporting	1 %
Petroleum distillates, hydrotreated (mild) hea 8, 8042-47-5)	vy paraffinic, hydrotreated (mild) light paraffinic, white mineral oil (64742-54-7, 64742-55-
Listed on the United States TSCA (Toxic Substan	nces Control Act) inventory
EPA Labelling	
EPA Registration Number	89459-47
requirements under federal pesticide law. These	y the United States Environmental Protection Agency and is subject to certain labeling e requirements differ from the classification criteria and hazard information required for safety ion-pesticide chemicals. The hazard information required on the pesticide label is reproduced aportant information, including directions for use.
FIFRA Hazard statements	Caution
FIFRA Precautionary statements	KEEP OUT OF REACH OF CHILDREN.
FIFRA Hazards to Humans and Domestic Animals	Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation.
FIFRA First aid	IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice. Note to Physician: Contains petroleum distillate - vomiting may cause aspiration pneumonia.
FIFRA Environmental hazards	This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult
	mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or washwaters.

15.2. US State regulations

No additional information available

: 15 February 2016	
: 28 March 2022	
: 08 August 2016	
	: 28 March 2022

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.